

Customer: Discover CBD

Address: 2255 Reliable Cir

Colorado Springs, CO 80906

Sample ID: 120mg I

120mg MCT Tincture MCT-1080

Matrix: Tincture Labnumber: 23A0029-03





Density (g/mL): .9606

Cannabinoid Profile

Test Conditions: 18°C Extraction Technician: SH

Analytical Chemist: SH

Lettraction Technician: SH

Analytical Chemist: SH

Extraction Analysis Date(s)

Date(s)


1/9/2023

1/10/2023

Analytical officinist. Off		1737	1/10/2020
Cannabinoids (HPLC)	Results		
	LOD (mg/mL)	%	mg/mL
Cannabidivarin (CBDV)	<0.20		
Cannabidiolic Acid (CBD-A)	<0.20		
Cannabigerolic Acid (CBG-A)	<0.20		
Cannabigerol (CBG)	<0.20		
Cannabidiol (CBD)		0.43	4.34
Tetrahydrocannabivarin (THCV)	<0.20		
Cannabinol (CBN)	<0.20		
Cannabichromene (CBC)	<0.20		
delta 9-Tetrahydrocannabinol (THC)	<0.40		
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.40		
delta 8-Tetrahydrocannabinol	<0.40		
(6aR,9S)-delta-10-THC	<0.40	SULUL	12
(6aR,9R)-delta-10-THC	<0.40		
Cannabinoids Total		%	mg/mL
Max Active THC (delta-9-tetrahydrocannabinol)		<0.04	<0.40
Max Active CBD		0.43	4.34
Total Cannabinoids		0.43	4.34

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 3% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.

Blank results indicate the compound was below the limit of detection.



Gary Brook - Laboratory Director - 1/10/2023