



Customer: Discover CBD
Address: 2255 Reliable Cir
Colorado Springs, CO 80906

Sample ID: BB-1005 50mg Bath Bomb

Matrix: Topical

Labnumber: 22L0108-07 **Total mass or volume per unit (g or mL):** 153.8

Cannabinoid Profile

Test Conditions: 16°C


Extraction Technician: SH

Analytical Chemist: SH

Extraction Date(s)	Analysis Date(s)
12/27/2022	12/29/2022

Cannabinoids (HPLC)		Results		
	LOD (mg/g)	%	mg/g	mg/Bath Bomb
Cannabidiol (CBD)	<0.020	0.04	0.355	54.6
Cannabidiol (CBD)	<0.020			
Tetrahydrocannabivarin (THCV)	<0.020			
Cannabinol (CBN)	<0.020			
Cannabichromene (CBC)	<0.020			
delta 9-Tetrahydrocannabinol (THC)	<0.040			
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.040			
delta 8-Tetrahydrocannabinol	<0.040			
(6aR,9S)-delta-10-THC	<0.040			
(6aR,9R)-delta-10-THC	<0.040			
Cannabinoids Total		%	mg/g	
Max Active THC (delta-9-tetrahydrocannabinol)		<0.004	<0.040	
Max Active CBD		0.04	0.36	
Total Cannabinoids		0.04	0.36	

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 3% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.
Blank results indicate the compound was below the limit of detection.



(6aR,9R)-delta-10-THC	(6aR,9S)-delta-10-THC	Cannabichromene (CBC)	Cannabidiol (CBD)	Cannabidiolic Acid (CBD-A)	Cannabidivarin (CBDV)
Cannabigerol (CBG)	Cannabigerolic Acid (CBG-A)	Cannabinol (CBN)	delta 8-Tetrahydrocannabinol	delta 9-Tetrahydrocannabinol (THC)	delta 9-Tetrahydrocannabinolic Acid (THC-A)
Tetrahydrocannabivarin (THCV)					

Gary Brook - Laboratory Director - 12/29/2022

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values.

Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. **Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.**